



1 Identification

· Product name: CS10

· Part number: 148-10010

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Allied High Tech Products Inc.

16207 Carmenita Road

USA-Cerritos, CA, 90703

USA

info@alliedhightech.com

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (310) 635-2466

Chemtrec: +1 (202) 483-7616

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



Skin Irritation 2 H315 Causes skin irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Decyl alcohol, propoxylated, ethoxylated 2-methyl-2H-isothiazol-3-one 2-octyl-2H-isothiazol-3-one

(Contd. on page 2)

Printing date 07/02/2024 Version 1.0 Last revision 07/02/2024

Product name: CS10

(Contd. of page 1)

· Hazard statements

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Hazardous components and components with occupational exposure limits:				
37251-67-5	Decyl alcohol, propoxylated, ethoxylated	10-30%		
	Eye Damage 1, H318; 🕔 Skin Irritation 2, H315	_		
	2-methyl-2H-isothiazol-3-one Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 2, H330; Skin Corrosion 1B, H314; Eye Damage 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Sensitization - Skin 1A, H317	0.025-<0.1%		
	2-octyl-2H-isothiazol-3-one Acute Toxicity - Oral 3, H301; Acute Toxicity - Dermal 3, H311; Acute Toxicity - Inhalation 2, H330; Skin Corrosion 1A, H314; Eye Damage 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Sensitization - Skin 1A, H317	0.025-<0.1%		

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Allergic reactions

Dermatitis

Eye irritation

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Printing date 07/02/2024 Version 1.0 Last revision 07/02/2024

Product name: CS10

(Contd. of page 2)

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure proper ventilation/exhaustion at workplaces.

Prevent formation of aerosols.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Store receptacle in a well ventilated area.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No additional data. See 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

- · Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Product name: CS10

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties General Information Appearance: Form: Color: Colores Codor: Odor: Odor threshold: Not determined. PH-value at 20 °C (68 °F): So-7.5 Change in condition Melting point/Melting range: Boiling point/Melting range: Boiling point/Melting range: Not applicable. Flammability (solid, gaseous): Not applicable. Pecomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Explosion limits: Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): Opperature of Colores Not determined. Panger of explosion: Not determined. Vapor pressure at 20 °C (68 °F): Not determined. Vapor density Not determined. Vapor density Not determined. Not determined.	71 hysicai ana chemicai properti			
Form: Liquid Color: Colorless Odor threshold: Not determined. pH-value at 20 °C (68 °F): 5.5-7.5 Change in condition Melting point/Melting range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Vapor pressure at 20 °C (68 °F): 0.1 hPa Density at 20 °C (68 °F): 0.995-0.999 g/cm² (8.303-8.337 lbs/gal) Not determined. Vapor density Not determined. Not determined. Product to mix. Product to mix. Not determined. Not determined. Not determined. Product on the product to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.	General Information			
Color: Characteristic Odor threshold: Not determined. pH-value at 20 °C (68 °F): 5.5-7.5 Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Pecomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 0.1 hPa Density at 20 °C (68 °F): 0.995-0.999 g/cm³ (8.303-8.337 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.		Liquid		
Odor: Characteristic Odor threshold: Not determined. pH-value at 20 °C (68 °F): 5.5-7.5 Change in condition Melting range: Boiling point/Melting range: Boiling point/Melting range: 100 °C (212 °F) Undetermined 100 °C (212 °F) *Flash point: Not applicable. *Plammability (solid, gaseous): Not applicable. *Decomposition temperature: Not determined. ************************************				
Odor threshold: Not determined. pH-value at 20 °C (68 °F): 5.5-7.5 Change in condition Melting point/Melting range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Pecomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 0.1 hPa Density at 20 °C (68 °F): 0.995-0.999 g/cm³ (8.303-8.337 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.				
· pH-value at 20 °C (68 °F): 5.5-7.5 · Change in condition				
Change in condition Melting point/Melting range: Boiling point/Boiling range: Volumetermined. 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): O.1 hPa Density at 20 °C (68 °F): Not determined. Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.	· Odor threshold:	Not determined.		
Melting point/Melting range: Boiling point/Boiling range: Flash point: Not applicable. Flammability (solid, gaseous): Not determined. - Decomposition temperature: Product is not selfigniting. - Danger of explosion: Product does not present an explosion hazard. - Explosion limits: Lower: Not determined. Upper: Not determined. - Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Relative density Vapor density Not determined. - Evaporation rate Not determined. Not determined. - Vapor density Not determined. - Vapor density Not determined. - Favoration coefficient (n-octanol/water): Not determined. - Vapor deficient (n-octanol/water): Not determined. - Vapor deficient (n-octanol/water): Not determined. - Viscosity: Dynamic: Not determined.	· pH-value at 20 °C (68 °F):	5.5-7.5		
Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 0.1 hPa Density at 20 °C (68 °F): 0.995-0.999 g/cm³ (8.303-8.337 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.				
Boiling point/Boiling range: 100 °C (212 °F) Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 0.1 hPa Density at 20 °C (68 °F): 0.995-0.999 g/cm³ (8.303-8.337 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.	Melting point/Melting range:	Undetermined.		
Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 0.1 hPa Density at 20 °C (68 °F): 0.995-0.999 g/cm³ (8.303-8.337 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamie: Not determined.		100 °C (212 °F)		
Flammability (solid, gaseous): Not applicable. Decomposition temperature: Not determined. Ignition temperature: Product is not selfigniting. Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): O.1 hPa Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.		Not applicable.		
Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): 0.1 hPa Density at 20 °C (68 °F): 0.995-0.999 g/cm³ (8.303-8.337 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.		Not applicable.		
Danger of explosion: Explosion limits: Lower: Upper: Not determined. Upper: Not determined. Vapor pressure at 20 °C (68 °F): O.995-0.999 g/cm³ (8.303-8.337 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.	· Decomposition temperature:	Not determined.		
Explosion limits: Lower: Upper: Not determined. Not determined. Vapor pressure at 20 °C (68 °F): 0.1 hPa Density at 20 °C (68 °F): 0.995-0.999 g/cm³ (8.303-8.337 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.	· Ignition temperature:	Product is not selfigniting.		
Lower: Upper: Not determined. Vapor pressure at 20 °C (68 °F): 0.1 hPa Density at 20 °C (68 °F): 0.995-0.999 g/cm³ (8.303-8.337 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.	· Danger of explosion:	Product does not present an explosion hazard.		
Upper: Not determined. Vapor pressure at 20 °C (68 °F): 0.1 hPa Density at 20 °C (68 °F): 0.995-0.999 g/cm³ (8.303-8.337 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.	· Explosion limits:			
· Vapor pressure at 20 °C (68 °F): · Density at 20 °C (68 °F): · Density at 20 °C (68 °F): · Not determined. · Vapor density · Not determined. · Evaporation rate · Not determined. · Solubility in / Miscibility with Water: Not miscible or difficult to mix. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not determined.	Lower:	Not determined.		
Density at 20 °C (68 °F): O.995-0.999 g/cm³ (8.303-8.337 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.	Upper:	Not determined.		
 Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Not determined. 	· Vapor pressure at 20 °C (68 °F):	0.1 hPa		
 Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not determined. Not determined. 	Density at 20 °C (68 °F):	0.995-0.999 g/cm³ (8.303-8.337 lbs/gal)		
 Vapor density Evaporation rate Solubility in / Miscibility with				
 Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined. 				
Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not determined.				
· Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not determined.		Not miscible or difficult to mix		
· Viscosity: Dynamic: Not determined.				
Dynamic: Not determined.		1). Not determined.		
Kinematic: Not determined.	Kinematic:	Not determined.		
· Solvent content:		0.00.07		
VOC content: 0.00 %	VOC content:	0.00 %		
Solids content: 0.0 %	Solids content:	0.0 %		
Other information No further relevant information available.	· Other information	No further relevant information available.		

(Contd. on page 5)

Printing date 07/02/2024 Version 1.0 Last revision 07/02/2024

Product name: CS10

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

LD/LC50 values that are relevant for classification:						
2682-20-4 2-methyl-2H-isothiazol-3-one						
Oral	LD50	100 mg/kg (ATE)				
Dermal	LD50	300 mg/kg (ATE)				
Inhalative	LC50/4 h	0.05 mg/l (ATE)				
26530-20-1 2-octyl-2H-isothiazol-3-one						
Oral	LD50	125 mg/kg (ATE)				
Dermal	LD50	311 mg/kg (ATE)				
Inhalative	LC50/4 h	0.27 mg/l (ATE)				

- · Primary chemical irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

Printing date 07/02/2024 Version 1.0 Last revision 07/02/2024

Product name: CS10

(Contd. of page 5)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, IMDG, IATA	not regulated
· UN proper shipping name · DOT, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
· UN "Model Regulation":	not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- no furtifici io

Sala
Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Contd. on page 7)

Printing date 07/02/2024 Version 1.0 Last revision 07/02/2024

Product name: CS10

(Contd. of page 6)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, it does not describe a guarantee of product properties and does not establish a contractual legal relationship.

· Department issuing SDS: Technical Services

· Contact: Pablo Mendoza

· Last revision / supersedes version: 07/02/2024 / -

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Toxicity - Oral 3: Acute toxicity - Category 3

Acute Toxicity - Inhalation 2: Acute toxicity - Category 2

Skin Corrosion 1A: Skin corrosion/irritation – Category 1A

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Damage 1: Serious eye damage/eye irritation – Category 1

Sensitization - Skin 1: Skin sensitisation - Category 1

Sensitization - Skin 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1