

Page 1/7

# Safety Data Sheet acc. to OSHA HCS

Printing date 07/02/2024

Version 4.0

Last revision 06/01/2024

## **1** Identification

### · Product name: EpoxyMount Resin - Part A

- **Part number:** 145-10005, 145-10020 145-10010, 145-10025
- · Application of the substance / the mixture Epoxy resin
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: Allied High Tech Products Inc. 16207 Carmenita Road USA-Cerritos, CA, 90703 USA info@alliedhightech.com
- · Information department: Product safety department
- Emergency telephone number: During normal opening times: +1 (310) 635-2466
- Chemtree: +1 (202) 483-7616

# 2 Hazard(s) identification

### · Classification of the substance or mixture



Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2AH319 Causes serious eye irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

### · Label elements

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

Version 4.0

Printing date 07/02/2024

## Product name: EpoxyMount Resin - Part A

Last revision 06/01/2024

(Contd. of page 1)

· Hazard-determining components of labeling: reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight < 700) · Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects. · Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Avoid release to the environment. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see on this label). If eye irritation persists: Get medical advice/attention. Wash contaminated clothing before reuse. Collect spillage. Dispose of contents/container in accordance with local/regional/national/international regulations.

## 3 Composition/information on ingredients

### · Chemical characterization: Mixtures

 $\cdot$  **Description:** Mixture of the substances listed below with nonhazardous additions.

· Hazardous components and components with occupational exposure limits:	
25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight $\leq$ 700)	70-80%
Aquatic Chronic 2, H411; 🗘 Skin Irritation 2, H315; Eye Irritation 2A, H319; Sensitization - Skin 1, H317	
· Non-hazardous components:	
120547-52-6 Aliphatic Glycidyl Ether	20-30%

· Additional information: The specific chemical identity and/or exact percentage of the composition has been withheld as a trade secret.

## 4 First-aid measures

- · Description of first aid measures
- $\cdot$  General information: Immediately remove any clothing soiled by the product.
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed
- Allergic reactions
- Dermatitis
- Eye irritation

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

 $\cdot$  Extinguishing media

- $\cdot$  Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- $\cdot$  Special hazards arising from the substance or mixture No further relevant information available.

Printing date 07/02/2024

### Product name: EpoxyMount Resin - Part A

Last revision 06/01/2024

· Advice for firefighters

· Protective equipment: No special measures required.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

### · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

# Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure proper ventilation/exhaustion at workplaces.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

### $\cdot$ Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: Unsuitable materials for receptacle: copper
- · Information about storage in one common storage facility: Not required.
- $\cdot$  Further information about storage conditions:

Keep receptacle tightly sealed.

Store receptacle in a well ventilated area.

• Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No additional data. See 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- Breathing equipment: Use suitable respiratory protective device when high concentrations are present.
- · Protection of hands:

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. of page 2)

Version 4.0

Printing date 07/02/2024

### Product name: EpoxyMount Resin - Part A

Last revision 06/01/2024

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. • Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

Information on basic physical and chemical properties			
• General Information			
• Appearance: Form:	L'anid		
Color:	Liquid Yellow tint		
· Odor:	Odorless		
· Odor threshold:	Not determined.		
· pH-value:	Not determined.		
• Change in condition			
Melting point/Melting range:	Undetermined.		
<b>Boiling point/Boiling range:</b>	266 °C (510.8 °F)		
· Flash point:	252 °C (485.6 °F)		
· Flammability (solid, gaseous):	Not applicable.		
· Decomposition temperature:	Not determined.		
· Ignition temperature:	Product is not selfigniting.		
· Danger of explosion:	Product does not present an explosion hazard.		
· Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
· Vapor pressure:	Not determined.		
· Density:	Not determined.		
· Relative density	Not determined.		
· Vapor density	Not determined.		
Specific gravity:	1.01		
<ul> <li>Evaporation rate</li> </ul>	Not determined.		
· Solubility in / Miscibility with	· Solubility in / Miscibility with		
Water:	Slightly soluble.		
· Partition coefficient (n-octanol/water): Not determined.			
· Viscosity:			
Dynamic at 20 °C (68 °F):	400-700 mPas		
Kinematic:	Not determined.		
· Solvent content:			
VOC content:	0.00~%		
Other information	No further relevant information available.		

(Contd. on page 5)

Version 4.0

Version 4.0

Printing date 07/02/2024

## Product name: EpoxyMount Resin - Part A

Last revision 06/01/2024

(Contd. of page 4)

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid
- Keep away from oxidising agents and acidic substances.
- Contact with acrylates, aldehydes, atmospheric moisture, halogenates organic and ketones
- · Incompatible materials: Copper and copper alloys
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide
- Additional information: Hazardous decomposition products may form during combustion.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

### · LD/LC50 values that are relevant for classification:

25068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)

Oral LD50 30,000 mg/kg (rat)

Dermal LD50 23,000 mg/kg (rabbit)

### Primary chemical irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- $\cdot$  Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

### · Toxicity

# · Aquatic toxicity:

5068-38-6 reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight ≤ 700)	
EC50 (48 h) 1.8 mg/l (water flea)	
LC50 (96 h) 2 mg/l (rainbow trout)	

ErC50(72h) 11 mg/l (fresh water algae)

IC50(18h) 42.6 mg/l (bacteria)

· Persistence and degradability No further relevant information available.

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- $\cdot$  Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- $\cdot$  Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Version 4.0

Printing date 07/02/2024

### Product name: EpoxyMount Resin - Part A

Danger to drinking water if even small quantities leak into the ground. Also poisonous for fish and plankton in water bodies. Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- $\cdot$  Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, IMDG, IATA	not regulated	
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated	
· Transport hazard class(es)		
· DOT, ADN, IMDG, IATA · Class	not regulated	
· Packing group · DOT, IMDG, IATA	not regulated	
· Environmental hazards: · Marine pollutant:	Yes	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex II of M the IBC Code	ARPOL73/78 and Not applicable.	
· UN "Model Regulation":	not regulated	

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):
None of the ingredients is listed.
Section 313 (Specific toxic chemical listings):
None of the ingredients is listed.
FSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
Hazardous Air Pollutants
None of the ingredients is listed.
Proposition 65
Chemicals known to cause cancer:

None of the ingredients is listed.

Last revision 06/01/2024

(Contd. of page 5)

(Contd. on page 7)

Printing date 07/02/2024

Product name: EpoxyMount Resin - Part A

Last revision 06/01/2024

(Contd. of page 6)

# · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

To the best of our knowledge, the information contained herein is accurate. However, it does not describe a guarantee of product properties and does not establish a contractual legal relationship.

· Department issuing SDS: Technical Services

- · Contact: Pablo Mendoza
- · Last revision / supersedes version: 06/01/2024 / 3.0
- Supersedes date: 12/01/2022

#### • Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

• \* Data compared to the previous version altered.

Version 4.0