



Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

1 Identification

· Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

· Part number: 80-10140, 80-10145

· Application of the substance / the mixture Lubricant

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Allied High Tech Products Inc. 16207 Carmenita Road USA-Cerritos, CA, 90703

USA

info@alliedhightech.com

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (310) 635-2466

Chemtrec: +1 (202) 483-7616

2 Hazard(s) identification

· Classification of the substance or mixture



Eye Irritation 2A H319 Causes serious eye irritation.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning · Hazard statements

Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

(Contd. on page 2)

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Hazardous	components and components with occupational exposure limits:		
770-35-4 1-	Phenoxypropan-2-ol	26	>5-9.9%
· Non-hazardous components:			
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic		>50-<80%
68608-26-4	Sodium petroleum sulfonate		>1-6.9%
	Carboxylic acids, alkali salts		<2%

[·] Additional information: The specific chemical identity and/or exact percentage of the composition has been withheld as a trade secret.

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Eye irritation
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Carbon dioxide

Water spray

Fire-extinguishing powder

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

Dilute with plenty of water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

(Contd. of page 2)

- · Information about storage in one common storage facility: Store away from oxidizing agents.
- · Further information about storage conditions:

Protect from frost.

Storage temperature between -40 °C and 40 °C

Duration of storage: In closed, original container, at least 24 months

Keep receptacle tightly sealed.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No additional data. See 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not required.

Use suitable respiratory protective device in case of insufficient ventilation.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.3 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Light brown
Odor: Almonds
Odor threshold: Not determined.

• pH-value at 20 °C (68 °F): 8.5-9.2 (at 5% in water)

(Contd. on page 4)

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

(Contd. of page 3)

· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 300 °C (572 °F)
· Flash point:	150 °C (302 °F)
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	0.6 Vol % 6.5 Vol %
· Vapor pressure:	Not determined.
 Density at 20 °C (68 °F): Relative density Vapor density Evaporation rate 	0.98 g/cm³ (8.178 lbs/gal) Not determined. Not determined. Not determined.
· Solubility in / Miscibility with Water:	Emulsifiable.
· Partition coefficient (n-octanol/wat	ter): Not determined.
· Viscosity: Dynamic: Kinematic at 40 °C (104 °F):	Not determined. 68 mm ² /s
· Solvent content: VOC content:	0.00 %
Solids content:	0.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from oxidising agents and acidic substances.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Chlorine compounds

Sulfur oxides (SOx)

Nitrogen oxides (NOx)

Carbon monoxide and carbon dioxide

· Additional information: Hazardous decomposition products may form during combustion.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
Oral	LD50	7,220 mg/kg (rat)	
Inhalative	LC50/4 h	65.5 mg/l (rat)	

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

(Contd. of page 4)

- · Primary chemical irritant effect:
- on the skin: No irritant effect.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA	
Class	not regulated
Packing group DOT, IMDG, IATA	not regulated
Environmental hazards:	
· Marine pollutant:	No

(Contd. on page 6)

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

(Contd. of page 5)

· Special precautions for user	Not applicable.
• Transport in bulk according to Annex II of MARPOL73/78 at the IBC Code	Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- No further relevant information available.
- ·Sara

· Section 355 (extremely hazardous substances):	
	None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):		
64742-52-5	Distillates (petroleum), hydrotreated heavy naphthenic	ACTIVE
770-35-4	1-Phenoxypropan-2-ol	ACTIVE
68608-26-4	Sodium petroleum sulfonate	ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, it does not describe a guarantee of product properties and does not establish a contractual legal relationship.

- · Department issuing SDS: Technical Services
- · Contact: Pablo Mendoza
- · Last revision / supersedes version: 06/01/2024 / 3.0
- · Supersedes date: 12/02/2022
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

Product name: Maxi-Cut, Oil-Based Cutting Fluid (Undiluted)

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit
Flammable Liquids 3: Flammable liquids – Category 3
Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

* Data compared to the previous version altered.

(Contd. of page 6)