



Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

### 1 Identification

· Product name: Mold Release, Powder (Hot Mounting)

· Part number: 200-10100, 200-10110

• **CAS Number:** 557-05-1

• **EC number:** 209-151-9

- · Application of the substance / the mixture Releasing agent
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Allied High Tech Products Inc. 16207 Carmenita Road USA-Cerritos, CA, 90703

USA

info@alliedhightech.com

- · Information department: Product safety department
- · Emergency telephone number:

During normal opening times: +1 (310) 635-2466

Chemtrec: +1 (202) 483-7616

### 2 Hazard(s) identification

· Classification of the substance or mixture

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

May form combustible dust concentrations in air.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

557-05-1 zinc distearate, pure

- · Identification number(s)
- EC number: 209-151-9

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eve contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

**Product name: Mold Release, Powder (Hot Mounting)** 

(Contd. of page 1)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

Eye irritation

Dermatitis

• Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Foam

Carbon dioxide

Use fire fighting measures that suit the environment.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No additional data. See 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:			
557-05-1 zinc distearate, pure			
	Long-term value: 15* 5** mg/m <sup>3</sup>		
	*total dust **respirable fraction		
	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction		
TLV	Long-term value: 10* 3** mg/m³ *inhalable, **respirable particulate matter, *A4		

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

**Product name: Mold Release, Powder (Hot Mounting)** 

(Contd. of page 2)

· Breathing equipment:

Not required.

Use suitable respiratory protective device in case of insufficient ventilation.
• Protection of hands: Not required.

- · Eye protection: Not required.

### 9 Physical and chemical properties

Information on basic physical and chemical properties	71 Hybreat and enemied properties					
Form: Color: White Odor: Mild Odor threshold: Not determined.  PH-value: Not applicable.  Change in condition Melting point/Melting range: Undetermined.  Flash point: 277 °C (530.6 °F)  Flammability (solid, gaseous): Product is not flammable.  Auto igniting: 420 °C (788 °F)  Decomposition temperature: Not determined.  Ignition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined.  Vapor pressure: Not determined.  Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm² (9.096 lbs/gal)  Bulk density: 100 kg/m² Relative density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Insoluble.  Solubility in / Miscibility with Water: Not applicable.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable.  Kinematic: Not applicable.  Voc content: Not applicable.						
Form: Color: White Odor: Mild Odor threshold: Not determined.  PH-value: Not applicable.  Change in condition Melting point/Melting range: Undetermined.  Flash point: 277 °C (530.6 °F)  Flammability (solid, gaseous): Product is not flammable.  Auto igniting: 420 °C (788 °F)  Decomposition temperature: Not determined.  Ignition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined.  Vapor pressure: Not determined.  Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: 100 kg/m³ Relative density Not determined.  Vapor density Not determined.  Solubility in / Miscibility with Water: Insoluble.  Solubility in / Miscibility with Water: Not applicable.  Partition coefficient (n-octanol/water): Not applicable.  Viscosity: Dynamic: Not applicable.  Viscosity: Upynamic: Not applicable.	· Appearance:					
Odor threshold: Not determined.  PH-value: Not applicable.  Change in condition Melting point/Melting range: 130 °C (266 °F) Boiling point/Boiling range: Undetermined.  Flash point: 277 °C (330.6 °F)  Flammability (solid, gaseous): Product is not flammable.  Auto igniting: 420 °C (788 °F)  Decomposition temperature: Not determined.  Ignition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined.  Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: Not determined.  Posity at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: Not determined.  Specific gravity: Not applicable. Specific gravity: Not applicable. Specific gravity: Not applicable.  Specific gravity: Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not applicable.  Partition coefficient (n-octanol/water): Not applicable.  Kinematie: Not applicable.  Viscosity: Dynamie: Not applicable.  Kinematie: Not applicable.  Solids content: 100.0 %		Powder				
Odor threshold: Not determined.  PH-value: Not applicable.  Change in condition Melting point/Melting range: 130 °C (266 °F) Boiling point/Boiling range: Undetermined.  Flash point: 277 °C (530.6 °F)  Flammability (solid, gaseous): Product is not flammable.  Auto igniting: 420 °C (788 °F)  Decomposition temperature: Not determined.  Ignition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined.  Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: 100 kg/m³ Relative density Not applicable.  Specific gravity: Not applicable.  Specific gravity: Not applicable.  Specific gravity: Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not applicable.  Partition coefficient (n-octanol/water): Not applicable.  Viscosity: Dynamic: Not applicable.		White				
Odor threshold:  PH-value: Not applicable.  Change in condition Melting point/Melting range: Boiling point/Boiling range: Undetermined.  Flash point: 277 °C (530.6 °F)  Flammability (solid, gaseous): Product is not flammable.  Auto igniting: 420 °C (788 °F)  Decomposition temperature: Not determined.  Ignition temperature: Not determined.  Product does not present an explosion hazard.  Explosion limits: Lower: Upper: Not determined.  Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm² (9.096 lbs/gal)  Bulk density: Relative density Not applicable.  Specific gravity: Fexaporation rate Not applicable.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable.  Not applicable.  Not applicable.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.  Not applicable.  Not applicable.		Mild				
PH-value: Not applicable.  Change in condition Melting point/Melting range: Undetermined.  Flash point: 277 °C (530.6 °F)  Flambability (solid, gaseous): Product is not flammable.  Auto igniting: 420 °C (788 °F)  Decomposition temperature: Not determined.  Ignition temperature: Not determined.  Lower: Not determined.  Explosion limits: Lower: Not determined.  Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: Not determined.  Vapor density: Not applicable.  Specific gravity: Not applicable.  Specific gravity: Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not applicable.  Viscosity: Not applicable.						
Melting point/Melting range: 130 °C (266 °F) Boiling point/Boiling range: Undetermined.  Flash point: 277 °C (530.6 °F)  Flammability (solid, gaseous): Product is not flammable.  - Auto igniting: 420 °C (788 °F)  - Decomposition temperature: Not determined.  - Ignition temperature: Not determined.  - Danger of explosion: Product does not present an explosion hazard.  - Explosion limits: - Lower: Not determined.  - Upper: Not determined.  - Vapor pressure: Not applicable.  - Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  - Bulk density: 100 kg/m³ Relative density Not determined.  - Vapor density Not determined.  - Vapor density Not applicable.  - Specific gravity: >1.00 (Water = 1) - Not applicable.  - Solubility in / Miscibility with Water: Insoluble.  - Partition coefficient (n-octanol/water): Not determined.  - Viscosity:  Dynamic: Not applicable.  - Not applicable.	· pH-value:	Not applicable.				
Melting point/Melting range: 130 °C (266 °F) Boiling point/Boiling range: Undetermined.  Flash point: 277 °C (530.6 °F)  Flammability (solid, gaseous): Product is not flammable.  - Auto igniting: 420 °C (788 °F)  - Decomposition temperature: Not determined.  - Ignition temperature: Not determined.  - Danger of explosion: Product does not present an explosion hazard.  - Explosion limits: - Lower: Not determined.  - Upper: Not determined.  - Vapor pressure: Not applicable.  - Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  - Bulk density: 100 kg/m³ Relative density Not determined.  - Vapor density Not determined.  - Vapor density Not applicable.  - Specific gravity: >1.00 (Water = 1) - Not applicable.  - Solubility in / Miscibility with Water: Insoluble.  - Partition coefficient (n-octanol/water): Not determined.  - Viscosity:  Dynamic: Not applicable.  - Not applicable.	· Change in condition					
Boiling point/Boiling range: Undetermined.  Flash point: 277 °C (530.6 °F)  Flammability (solid, gaseous): Product is not flammable.  - Auto igniting: 420 °C (788 °F)  Decomposition temperature: Not determined.  - Ignition temperature: Not determined.  - Danger of explosion: Product does not present an explosion hazard.  - Explosion limits:  Lower: Not determined.  - Upper: Not determined.  - Vapor pressure: Not applicable.  - Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  - Bulk density: 100 kg/m³  - Relative density Not determined.  - Vapor density Not applicable.  - Specific gravity: >1.00 (Water = 1)  - Exaporation rate Not applicable.  - Solubility in / Miscibility with Water: Insoluble.  - Partition coefficient (n-octanol/water): Not determined.  - Viscosity:  Dynamic: Not applicable.  - Not applicable.		120 °C (266 °E)				
Flash point: 277 °C (530,6 °F)  Flammability (solid, gaseous): Product is not flammable.  Auto igniting: 420 °C (788 °F)  Decomposition temperature: Not determined.  Ignition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: 100 kg/m³  Relative density Not applicable.  Specific gravity: >1.00 (Water = 1) Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable.  Not applicable.  Not applicable.  Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Not applicable.						
Flammability (solid, gaseous): Product is not flammable.  Auto igniting: 420 °C (788 °F)  Decomposition temperature: Not determined.  Ignition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined.  Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: Not determined.  Vapor density Not determined.  Vapor density Not applicable.  Specific gravity: Specific gravity: Specific gravity: Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not applicable.	01 0 0					
Auto igniting: 420 °C (788 °F)  Decomposition temperature: Not determined.  Ignition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: 100 kg/m³ Relative density Not determined.  Vapor density Not applicable.  Specific gravity: >1.00 (Water = 1) Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable. Kinematic: Not applicable.  VOC content: 100.0 %	· Flash point:	277 °C (530.6 °F)				
Decomposition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: 100 kg/m³ Relative density Not applicable.  Specific gravity: Specific gravity: Specific gravity: Specific gravity: Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable. Viscosity: Dynamic: Not applicable. Not applicable.  Viscosity: Dynamic: Not applicable. Not applicable. Not applicable.  Viscosity: Dynamic: Not applicable.	· Flammability (solid, gaseous):					
Ignition temperature: Not determined.  Danger of explosion: Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not determined.  Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: 100 kg/m³ Relative density Not applicable.  Vapor density Not applicable.  Specific gravity: >1.00 (Water = 1) Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Kinematic: Not applicable. VOC content: 100.0 %	· Auto igniting:	420 °C (788 °F)				
Danger of explosion:  Product does not present an explosion hazard.  Explosion limits: Lower: Not determined. Upper: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: Not determined.  Vapor density Not determined.  Vapor density Not applicable.  Specific gravity: Specific gravity: Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not applicable.  Not applicable.  Not applicable.  Solubility in / Miscibility with Water: Dynamic: Not applicable. Kinematic: Not applicable. Not applicable.  Not applicable. Not applicable.  Not applicable.  Not applicable. Not applicable.  Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Not applicable.	· Decomposition temperature:	Not determined.				
Explosion limits: Lower: Not determined. Upper: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: 100 kg/m³ Relative density Not determined.  Vapor density Not applicable. Specific gravity: >1.00 (Water = 1) Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %	· Ignition temperature:	Not determined.				
Lower: Upper: Not determined.  Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: 100 kg/m³ Relative density Not applicable.  Vapor density Not applicable. Specific gravity: 1.00 (Water = 1) Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %	· Danger of explosion:	Product does not present an explosion hazard.				
Upper: Not determined.  Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: 100 kg/m³ Relative density Not determined.  Vapor density Not applicable.  Specific gravity: >1.00 (Water = 1) Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %	· Explosion limits:					
Vapor pressure: Not applicable.  Density at 20 °C (68 °F): 1.09 g/cm³ (9.096 lbs/gal)  Bulk density: 100 kg/m³ Relative density Not determined.  Vapor density Not applicable.  Specific gravity: >1.00 (Water = 1) Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %		Not determined.				
Density at 20 °C (68 °F):  1.09 g/cm³ (9.096 lbs/gal)  Bulk density: 100 kg/m³  Relative density Not determined.  Vapor density Not applicable.  Specific gravity: >1.00 (Water = 1) Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Kinematic: VOC content:  100.0 %  Solids content: 100.0 %	Upper:	Not determined.				
Bulk density: Relative density Not determined. Vapor density Not applicable. Specific gravity: Specific gravity: Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %	· Vapor pressure:	Not applicable.				
Relative density Vapor density Not applicable. Specific gravity: Specific gravity: Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not applicable.  Violubility: Not applicable.	· Density at 20 °C (68 °F):	1.09 g/cm³ (9.096 lbs/gal)				
Relative density Vapor density Not applicable. Specific gravity: Specific gravity: Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not applicable.  Violubility: Not applicable.	· Bulk density:	$100 \text{ kg/m}^3$				
Vapor density Specific gravity: Specific gravity: Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Kinematic: Not applicable. Violubility: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %						
Specific gravity: >1.00 (Water = 1) Evaporation rate Not applicable.  Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %						
Evaporation rate  Not applicable.  Solubility in / Miscibility with Water:  Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %						
Solubility in / Miscibility with Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %						
Water: Insoluble.  Partition coefficient (n-octanol/water): Not determined.  Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %						
Partition coefficient (n-octanol/water): Not determined.  Viscosity:  Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %		T.,1,L1.				
Viscosity:  Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %	water:	insoluole.				
Dynamic:Not applicable.Kinematic:Not applicable.VOC content:0.00 %Solids content:100.0 %	· Partition coefficient (n-octanol/water): Not determined.					
Kinematic: Not applicable. VOC content: 0.00 %  Solids content: 100.0 %						
VOC content:         0.00 %           Solids content:         100.0 %						
Solids content: 100.0 %	Kinematic:					
	VOC content:	0.00 %				
• Other information No further relevant information available.	Solids content:	100.0 %				
	· Other information	No further relevant information available.				

### 10 Stability and reactivity

· Reactivity No further relevant information available.

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

**Product name: Mold Release, Powder (Hot Mounting)** 

(Contd. of page 3)

- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

Keep away from sources of ignition - No smoking.

Keep away from oxidising agents and acidic substances.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Zinc oxide

Carbon monoxide and carbon dioxide

· Additional information: Hazardous decomposition products may form during combustion.

#### 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:					
557-05-1 zinc distearate, pure					
Oral	LD50	5,000 mg/kg (rat)			
Derma	1 LD50	>2,000 mg/kg (rabbit)			

- · Primary chemical irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Abrasive eye irritant

Abrasive skin irritant

· Carcinogenic categories

### IARC (International Agency for Research on Cancer)

Substance is not listed.

#### · NTP (National Toxicology Program)

Substance is not listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 5)

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

Product name: Mold Release, Powder (Hot Mounting)

(Contd. of page 4)

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

### 14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA	not regulated			
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated			
· Transport hazard class(es)				
· DOT, ADN, IMDG, IATA · Class	not regulated			
· Packing group · DOT, IMDG, IATA	not regulated			
· Environmental hazards: · Marine pollutant:	No			
· Special precautions for user	Not applicable.			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Not applicable.				
· UN "Model Regulation":	not regulated			

#### 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

(Contd. on page 6)

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

**Product name: Mold Release, Powder (Hot Mounting)** 

(Contd. of page 5)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

To the best of our knowledge, the information contained herein is accurate. However, it does not describe a guarantee of product properties and does not establish a contractual legal relationship.

· Department issuing SDS: Technical Services

· Contact: Pablo Mendoza

· Last revision / supersedes version: 06/01/2024 / 3.0

· Supersedes date: 06/01/2022 · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

\* Data compared to the previous version altered.