

Page 1/5

Safety Data Sheet acc. to OSHA HCS

* 1 Identification

· Product name: Transparent Thermoplastic Powder

· Part number: 165-10005, 165-10025

• **CAS Number:** 9011-14-7

· Application of the substance / the mixture Acrylic resin

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Allied High Tech Products Inc.

16207 Carmenita Road

USA-Cerritos, CA, 90703

USA

info@alliedhightech.com

· Information department: Product safety department

· Emergency telephone number:

During normal opening times: +1 (310) 635-2466

Chemtrec: +1 (202) 483-7616

2 Hazard(s) identification

· Classification of the substance or mixture

Combustible Dust May form combustible dust concentrations in air.

- · Label elements
- · GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements

May form combustible dust concentrations in air.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

9011-14-7 Methyl methacrylate polymer

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed Eye irritation
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 2)

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

Product name: Transparent Thermoplastic Powder

(Contd. of page 1)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Dispose of the collected material according to regulations.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles:

Store in a cool location.

No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No additional data. See 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

9011-14-7 Methyl methacrylate polymer

PEL Long-term value: 410 mg/m³

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment:

Not required.

Use suitable respiratory protective device in case of insufficient ventilation.

- · Protection of hands: Not required.
- · Eye protection: Not required.

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Granulate Color: White

· **Odor:** methacrylate-like

Product name: Transparent Thermoplastic Powder

(Contd. of page 2)

Odor threshold: Not determined. ipH-value: Not applicable. Change in condition Melting point/Melting range: 150 °C (302 °F) Undetermined. Boiling point/Melting range: 250 °C (482 °F) Flash point: 250 °C (482 °F) Flammability (solid, gaseous): Product is not flammable. Decomposition temperature: Not determined. Ignition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits: I. Not determined. Lower: Not determined. Upper: Not applicable. Possity at 20 °C (68 °F): 1.2 g/cm³ (10.014 lbs/gal) Relative density Not determined. Vapor density Not applicable. Specific gravity: 1.18 Evapor ation rate Not applicable. Specific gravity: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Not applicable. Objustice (see the content): Not applicable. Viscosity: Not applicable. <th< th=""><th></th><th>(Contd. of page 2)</th></th<>		(Contd. of page 2)
Change in condition Melting point/Melting range: Boiling point/Boiling range: Undetermined. Flash point: 250 °C (482 °F) Flammability (solid, gaseous): Product is not flammable. Decomposition temperature: Not determined. Ignition temperature: Not determined. Danger of explosion: Fexplosion limits: Lower: Upper: Not determined. Vapor pressure: Not applicable. Density at 20 °C (68 °F): 1.2 g/cm³ (10.014 lbs/gal) Not applicable. Vapor density Not applicable. Specific gravity: 1.18 Not applicable. Solubility in / Miscibility with Water: Insoluble. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: VOC content: Not applicable. Solubility in / Miscibility with Water: Not applicable.	Odor threshold:	Not determined.
Melting point/Melting range: 150 °C (302 °F) Boiling point/Boiling range: 250 °C (482 °F) Flash point: 250 °C (482 °F) Flammability (solid, gaseous): Product is not flammable. Decomposition temperature: Not determined. Ignition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Italian in the composition of the comp	· pH-value:	Not applicable.
Flammability (solid, gaseous): Product is not flammable. Decomposition temperature: Not determined. Ignition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not applicable. Density at 20 °C (68 °F): 1.2 g/cm³ (10.014 lbs/gal) Relative density Not applicable. Yapor density Not applicable. Specific gravity: 1.18 Evaporation rate Not applicable. Solubility in / Miscibility with Water: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Kinematic: Not applicable.	Melting point/Melting range:	
Decomposition temperature: Not determined. Ignition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not applicable. Density at 20 °C (68 °F): 1.2 g/cm³ (10.014 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Specific gravity: 1.18 Evaporation rate Not applicable. Solubility in / Miscibility with Water: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Not applicable. Solids content: 100.0 %	· Flash point:	250 °C (482 °F)
Ignition temperature: Not determined. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not applicable. Density at 20 °C (68 °F): 1.2 g/cm³ (10.014 lbs/gal) Relative density Not determined. Vapor density Not applicable. Specific gravity: 1.18 Evaporation rate Not applicable. Solubility in / Miscibility with Water: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Kinematic: Not applicable. VOC content: 100.0 %	· Flammability (solid, gaseous):	Product is not flammable.
Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not applicable. Density at 20 °C (68 °F): 1.2 g/cm³ (10.014 lbs/gal) Relative density Not applicable. Specific gravity: 1.18 Evaporation rate Not applicable. Solubility in / Miscibility with Water: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not applicable. Not applicable. Not applicable. Solids content: 100.0 %	· Decomposition temperature:	Not determined.
Explosion limits: Lower: Not determined. Upper: Not applicable. Vapor pressure: Not applicable. Density at 20 °C (68 °F): 1.2 g/cm³ (10.014 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Specific gravity: 1.18 Evaporation rate Not applicable. Solubility in / Miscibility with Water: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 % Solids content: 100.0 %	· Ignition temperature:	Not determined.
Lower: Not determined. Upper: Not applicable. Vapor pressure: Not applicable. Density at 20 °C (68 °F): 1.2 g/cm³ (10.014 lbs/gal) Relative density Not determined. Vapor density Not applicable. Specific gravity: 1.18 Evaporation rate Not applicable. Solubility in / Miscibility with Water: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 100.0 %	· Danger of explosion:	Product does not present an explosion hazard.
Density at 20 °C (68 °F): Relative density Not determined. Vapor density Not applicable. Specific gravity: 1.18 Not applicable. Solubility in / Miscibility with Water: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not applicable. Kinematic: Not applicable. VOC content: 100.0 %	Lower:	
Relative density Not applicable. Vapor density 1.18 Evaporation rate Not applicable. Solubility in / Miscibility with Water: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Kinematic: Not applicable. Kinematic: Not applicable. VOC content: 100.0 %	· Vapor pressure:	Not applicable.
Water: Insoluble. Partition coefficient (n-octanol/water): Not determined. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 % Solids content: 100.0 %	Relative densityVapor densitySpecific gravity:	Not determined. Not applicable. 1.18
 Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. VOC content: 0.00 % Solids content: 100.0 % 		Insoluble.
Dynamic:Not applicable.Kinematic:Not applicable.VOC content:0.00 %Solids content:100.0 %	· Partition coefficient (n-octanol/wat	er): Not determined.
	Dynamic: Kinematic:	Not applicable.
• Other information No further relevant information available.	Solids content:	100.0 %
	Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid Keep away from heat.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

Methacrylate monomers

Carbon monoxide and carbon dioxide

· Additional information: Hazardous decomposition products may form during combustion.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary chemical irritant effect:
- on the skin: No irritant effect.
- · on the eve: No irritating effect.
- · Sensitization: No sensitizing effects known.

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

Product name: Transparent Thermoplastic Powder

(Contd. of page 3)

- · Additional toxicological information: Abrasive eye irritant
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability Not easily biodegradable
- · Behavior in environmental systems:
- · Bioaccumulative potential Non significant accumulation in organisms
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Assessment by list): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Contact waste processors for recycling information.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, ADN, IMDG, IATA	not regulated			
· UN proper shipping name · DOT, ADN, IMDG, IATA	not regulated			
· Transport hazard class(es)				
· DOT, ADN, IMDG, IATA · Class	not regulated			
Packing group DOT, IMDG, IATA	not regulated			
Environmental hazards: Marine pollutant:	No			
· Special precautions for user	Not applicable.			
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.				
· UN "Model Regulation":	not regulated			

Printing date 07/02/2024 Version 4.0 Last revision 06/01/2024

Product name: Transparent Thermoplastic Powder

(Contd. of page 4)

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture
- No further relevant information available.
- ·Sara

· Section 3	55 (6	extremely	hazardous	substances):
Section 3	JJ 11	ZALI CIIICIV	HAZAI UVUS	substances).

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

ACTIVE

· Hazardous Air Pollutants

Substance is not listed.

- · Proposition 65
- Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

To the best of our knowledge, the information contained herein is accurate. However, it does not describe a guarantee of product properties and does not establish a contractual legal relationship.

- · Department issuing SDS: Technical Services
- · Contact: Pablo Mendoza
- · Last revision / supersedes version: 06/01/2024 / 3.0
- · Supersedes date: 06/01/2022
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

* Data compared to the previous version altered.